

Essential Dutch Dictionary by G. Quist and D. Strik, the Graphical Law classification

Anindya Kumar Biswas*

Department of Physics;

North-Eastern Hill University,

Mawkynroh-Umshing, Shillong-793022.

(Dated: November 24, 2025)

Abstract

We find that the Essential Dutch Dictionary by G. Quist and D. Strik is classified by a magnetisation curve of a Spin-Glass in the presence of little external magnetic field.

* anindya@nehu.ac.in

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
763	1173	245	658	328	214	757	531	333	103	876	515	487	261	1049	652	6	553	1327	639	227	1294	550	0	2	400

TABLE I. the Essential Dutch dictionary words




FIG. 1. Vertical axis is $\frac{\ln f}{\ln f_{max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.01$ or, $\beta H = 0.02$. The uppermost curve is the Onsager solution.

I. INTRODUCTION AND RESULTS

In this short note we try to classify the Essential Dutch dictionary by G. Quist and D. Strik, [1], by studying the essential dutch words. The Dutch language alphabet is composed of twenty six letters like English. We should keep in mind the Essential nature of this dictionary. We count all the essential dutch words, [1], one by one from the beginning to the end, starting with different letters. The result is the table, I. Following the subjects, [2]-[12], as developed into methods and elucidated in, [13]-[32], we obtain the graphical results as the figures, 1-13, k_{lim} being the same as k_d .




FIG. 2. Vertical axis is $\frac{\ln f}{\ln f_{next-max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.01$ or, $\beta H = 0.02$. The uppermost curve is the Onsager solution.




FIG. 3. Vertical axis is $\frac{\ln f}{\ln f_{nextnext-max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.01$ or, $\beta H = 0.02$. The uppermost curve is the Onsager solution.




FIG. 4. Vertical axis is $\frac{\ln f}{\ln f_{\text{nextnextnext-max}}}$ and horizontal axis is $\frac{\ln k}{\ln k_{\text{lim}}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.025$ or, $\beta H = 0.05$. The uppermost curve is the Onsager solution.




FIG. 5. Vertical axis is $\frac{\ln f}{\ln f_{\text{nextnextnextnext-max}}}$ and horizontal axis is $\frac{\ln k}{\ln k_{\text{lim}}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.05$ or, $\beta H = 0.10$. The uppermost curve is the Onsager solution.




FIG. 6. Vertical axis is $\frac{\ln f}{\ln f_{5n-max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.05$ or, $\beta H = 0.10$. The uppermost curve is the Onsager solution.




FIG. 7. Vertical axis is $\frac{\ln f}{\ln f_{6n-max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary with the fit curve being Bethe-Peierls curve with four nearest neighbours, in presence of little magnetic field, $m=0.05$ or, $\beta H = 0.10$. The uppermost curve is the Onsager solution.




FIG. 8. Vertical axis is $\frac{\ln f}{\ln f_{7n-max}}$ and horizontal axis is $\frac{\ln k}{\ln k_{lim}}$. The + points represent the words of the Essential Dutch dictionary. The reference curve is the Onsager solution.

A. tentative conclusion

From the figures (fig.1-fig.8), we observe that there is a curve of magnetisation, behind the words of the Essential Dutch dictionary, [1]. This is the magnetisation curve, BP(4, $\beta H=0.10$), in the Bethe-Peierls approximation in the presence of little external magnetic field.

Moreover, the associated correspondence is,

$$\frac{\ln f}{\ln f_{4n-\text{maximum}}} \longleftrightarrow \frac{M}{M_{\text{max}}},$$
$$\ln k \longleftrightarrow T.$$

k corresponds to temperature in an exponential scale, [12].

On the top of it, on successive higher normalisations, words of the Essential Dutch dictionary,[1], do not go over to Onsager solution in the normalised $\ln f$ vs $\frac{\ln k}{\ln k_{im}}$ graphs.

To explore for possible existence of spin-glass transition, in presence of little external magnetic field, $\frac{\ln f}{\ln f_{r\text{max}}}$, with $r = 1, 2, 3, 4$ are drawn against $\ln k$ in the figures fig.9-fig.13.




FIG. 9. The vertical axis is $\frac{\ln f}{\ln f_{\max}}$ and the horizontal axis is $\ln k$. The + points represent the words of the Essential Dutch dictionary.




FIG. 10. The vertical axis is $\frac{\ln f}{\ln f_{n-\max}}$ and the horizontal axis is $\ln k$. The + points represent the words of the Essential Dutch dictionary.




FIG. 11. The vertical axis is $\frac{\ln f}{\ln f_{2n-max}}$ and the horizontal axis is $\ln k$. The + points represent the words of the Essential Dutch dictionary.




FIG. 12. The vertical axis is $\frac{\ln f}{\ln f_{3n-max}}$ and the horizontal axis is $\ln k$. The + points represent the words of the Essential Dutch dictionary.




FIG. 13. The vertical axis is $\frac{\ln f}{\ln f_{4n-max}}$ and the horizontal axis is $\ln k$. The + points represent the words of the Essential Dutch dictionary.

B. conclusion

In the figures Fig.9-Fig.13, the points has a clear-cut transition. Above the transition point(s), the lines are almost horizontal and below the transition point(s), points-line rises like the branch of a rectangular hyperbola. Hence, the words of the Essential Dutch dictionary, [1], is well-suited to be described by a Spin-Glass magnetisation curve, [33], in the presence of little magnetic field. Moreover, the associated correspondence is,

$$\frac{\ln f}{\ln f_{4n-max}} \longleftrightarrow \frac{M}{M_{max}},$$
$$\ln k \longleftrightarrow T.$$

k corresponds to temperature in an exponential scale, [12].

II. ACKNOWLEDGMENT

We have used gnuplot for plotting the figures in this paper.

-
- [1] G. Quist and D. Strik, "Essential Dutch dictionary, Dutch-English/English-Dutch dictionary", Teach Yourself, 2010; © 2003, 2010 Gerdi Quist and Dennis Strik, London. Impression number: I098765432I.
 - [2] E. Ising, Z.Physik 31,253(1925).
 - [3] R. K. Pathria, Statistical Mechanics, p400-403, 1993 reprint, Pergamon Press,© 1972 R. K. Pathria.
 - [4] C. Kittel, Introduction to Solid State Physics, p. 438, Fifth edition, thirteenth Wiley Eastern Reprint, May 1994, Wiley Eastern Limited, New Delhi, India.
 - [5] W. L. Bragg and E. J. Williams, Proc. Roy. Soc. A, vol.145, p. 699(1934);
 - [6] P. M. Chaikin and T. C. Lubensky, Principles of Condensed Matter Physics, p. 148, first edition, Cambridge University Press India Pvt. Ltd, New Delhi.
 - [7] Kerson Huang, Statistical Mechanics, second edition, John Wiley and Sons(Asia) Pte Ltd.
 - [8] S. M. Bhattacharjee and A. Khare, "Fifty Years of the Exact solution of the Two-dimensional Ising Model by Onsager", arXiv:cond-mat/9511003v2.
 - [9] L. Onsager, Nuovo Cim. Supp.6(1949)261.

- [10] C. N. Yang, Phys. Rev. 85, 809(1952).
- [11] A. M. Gun, M. K. Gupta and B. Dasgupta, Fundamentals of Statistics Vol 1, Chapter 12, eighth edition, 2012, The World Press Private Limited, Kolkata.
- [12] Sonntag, Borgnakke and Van Wylen, Fundamentals of Thermodynamics, p206-207, fifth edition, John Wiley and Sons Inc.
- [13] Anindya Kumar Biswas, "Graphical Law beneath each written natural language", arXiv:1307.6235v3[physics.gen-ph]. A preliminary study of words of dictionaries of twenty six languages, more accurate study of words of dictionary of Chinese usage and all parts of speech of dictionary of Lakher(Mara) language and of verbs, adverbs and adjectives of dictionaries of six languages are included.
- [14] Anindya Kumar Biswas, "A discipline of knowledge and the graphical law", IJARPS Volume 1(4), p 21, 2014; viXra: 1908:0090[Linguistics].
- [15] Anindya Kumar Biswas, "Bengali language and Graphical law", viXra: 1908:0090[Linguistics].
- [16] Anindya Kumar Biswas, "Basque language and the Graphical Law", viXra: 1908:0414[Linguistics].
- [17] Anindya Kumar Biswas, "Romanian language, the Graphical Law and More", viXra: 1909:0071[Linguistics].
- [18] Anindya Kumar Biswas, "Discipline of knowledge and the graphical law, part II", viXra:1912.0243 [Condensed Matter],International Journal of Arts Humanities and Social Sciences Studies Volume 5 Issue 2 February 2020.
- [19] Anindya Kumar Biswas, "Onsager Core of Abor-Miri and Mising Languages", viXra: 2003.0343[Condensed Matter].
- [20] Anindya Kumar Biswas, "Bengali language, Romanisation and Onsager Core", viXra: 2003.0563[Linguistics].
- [21] Anindya Kumar Biswas, "Little Oxford English Dictionary and the Graphical Law", viXra: 2008.0041[Linguistics].
- [22] Anindya Kumar Biswas, "Oxford Dictionary Of Social Work and Social Care and the Graphical law", viXra: 2008.0077[Condensed Matter].
- [23] Anindya Kumar Biswas, "Visayan-English Dictionary and the Graphical law", viXra: 2009.0014[Linguistics].

- [24] Anindya Kumar Biswas, "Garo to English School Dictionary and the Graphical law", viXra: 2009.0056[Condensed Matter].
- [25] Anindya Kumar Biswas, "Mursi-English-Amharic Dictionary and the Graphical law", viXra: 2009.0100[Linguistics].
- [26] Anindya Kumar Biswas, "Names of Minor Planets and the Graphical law", viXra: 2009.0158[History and Philosophy of Physics].
- [27] Anindya Kumar Biswas, "A Dictionary of Tibetan and English and the Graphical law", viXra: 2010.0237[Condensed Matter].
- [28] Anindya Kumar Biswas, "Khasi English Dictionary and the Graphical law", viXra: 2011.0011[Linguistics].
- [29] Anindya Kumar Biswas, "Turkmen-English Dictionary and the Graphical law", viXra: 2011.0069[Linguistics].
- [30] Anindya Kumar Biswas, " Webster's Universal German-English Dictionary, the Graphical law and A Dictionary of Geography of Oxford University Press", viXra: 2103.0175[Condensed Matter].
- [31] Anindya Kumar Biswas, "A Dictionary of Modern Italian, the Graphical law and Dictionary of Law and Administration, 2000, National Law Development Foundation", viXra: 2107.0171[Condensed Matter].
- [32] Anindya Kumar Biswas, "Langenscheidt's German-English English-German Dictionary and the Graphical law, viXra: 2107.0179[Linguistics].
- [33] R. V. Chamberlin, M. Hardiman, L. A. Turkevich and R. Orbach, "H-T phase diagram for spin-glasses: An experimental study of Ag:Mn", PRB 25(11), 6720-6729, 1982.
- [34] R. V. Chamberlin, George Mozurkewich and R. Orbach, "Time Decay of the Remanent Magnetization in Spin-Glasses", PRL 52(10), 867-870, 1984.
- [35] http://en.wikipedia.org/wiki/Spin_glass
- [36] S. F Edwards and P. W. Anderson, "Theory of spin glasses", J. Phys.F: Metal Phys. 5, 965-74, 1975.
- [37] D. Sherrington and S. Kirkpatrick, "Solvable model of a Spin-Glass", PRL 35, 1792-6, 1975.
- [38] D. Sherrington and S. Kirkpatrick, "Infinite-ranged models of spin-glasses", PRB 17(11), 4384-4403, 1978.

- [39] J. R. L. de Almeida and D. J. Thouless, "Stability of the Sherrington-Kirkpatrick solution of a spin glass model", J. Phys. A: Math.Gen., Vol. 11, No. 5, 1978.
- [40] A. J. Bray and M. A. Moore, "Replica-Symmetry Breaking in Spin-Glass Theories", PRL 41, 1068-1072, 1978.
- [41] G Parisi, "A sequence of approximated solutions to the S-K model for spin glasses", J. Phys. A: Math.Gen. 13 L115, 1980.
- [42] G Parisi, "Infinite Number of Order Parameters for Spin-Glasses", PRL 43, 1754-1756, 1979.
- [43] D. J. Thouless, J. R. L. de Almeida and J. M. Kosterlitz, "Stability and susceptibility in Parisi's solution of a spin glass model", J. Phys. C: Solid State Phys. 13, 3271-80, 1980.
- [44] G. Parisi, G. Toulouse, "A simple hypothesis for the spin glass phase of the pfinite-ranged SK model", Journal de Physique Lettres, Edp sciences, 41(15), pp.361-364, 1980; <http://hal.archives-ouvertes.fr/jpa-00231798>.
- [45] G. Toulouse, "On the mean field theory of mixed spin glass-ferromagnetic phases", Journal de Physique Lettres, Edp sciences, 41(18), pp.447-449, 1980; <http://hal.archives-ouvertes.fr/jpa-00231818>.
- [46] G. Toulouse, M. Gabay, "Mean field theory for Heisenberg spin glasses", Journal de Physique Lettres, Edp sciences, 42(5), pp.103-106, 1981; <http://hal.archives-ouvertes.fr/jpa-00231882>.
- [47] Marc Gabay and Gérard Toulouse, "Coexistence of Spin-Glass and Ferromagnetic Orderings", PRL 47, 201-204, 1981.
- [48] J. Vannimenus, G. Toulouse, G. Parisi, "Study of a simple hypothesis for the mean-field theory of spin glasses", Journal de Physique, 42(4), pp.565-571, 1981; <http://hal.archives-ouvertes.fr/jpa-00209043>.
- [49] W L McMillan, "Scaling theory of Ising spin glasses", J. Phys. C: Solid State Phys., 17(1984) 3179-3187.
- [50] Daniel S. Fisher and David A. Huse, "Ordered Phase of Short-Range Ising Spin-Glasses", PRL 56(15), 1601-1604, 1986.
- [51] Daniel S. Fisher and David A. Huse, "Equilibrium behavior of the spin-glass ordered phase", PRB 38(1), 386-411, 1988.
- [52] S. Guchhait and R. L. Orbach, "Magnetic Field Dependence of Spin Glass Free Energy Barriers", PRL 118, 157203 (2017).

- [53] M. E. Baity-Jesi, A. Calore, A. Cruz, L. A. Fernandez, J. M. Gil-Narvion,..., D. Yllanes, "Matching Microscopic and macroscopic responses in Glasses", PRL 118, 157202(2017).
- [54] P. W. Anderson, "Spin-Glass I: A SCALING LAW RESCUED", Physics Today, pp.9-11, January(1988).
- [55] P. W. Anderson, "Spin-Glass II: IS THERE A PHASE TRANSITION?", Physics Today, pp.9, March(1988).
- [56] P. W. Anderson, "Spin-Glass III: THEORY RAISES ITS HEAD", Physics Today, pp.9-11, June(1988).
- [57] P. W. Anderson, "Spin-Glass IV: GLIMMERINGS OF TROUBLE", Physics Today, pp.9-11, September(1988).
- [58] P. W. Anderson, "Spin-Glass V: REAL POWER BROUGHT TO BEAR", Physics Today, pp.9-11, July(1989).
- [59] P. W. Anderson, "Spin-Glass VI: SPIN GLASS AS CORNUCOPIA", Physics Today, pp.9-11, September(1989).
- [60] P. W. Anderson, "Spin-Glass VII: SPIN GLASS AS PARADIGM", Physics Today, pp.9-11, March(1990).
- [61] J. K. Bhattacharjee, "Statistical Physics: Equilibrium and Non-Equilibrium Aspects", Ch. 26, Allied Publishers Limited, New Delhi, 1997.